



PLUMBING FIXTURE SCHEDULE						
TYPE	MANUFACTURER	MODEL	FINISH	TRIM / FAUCET	QUANTITY	COMMENTS
KITCHENETTE SINK	ELKAY	LR1919	STAINLESS STEEL	LKD2432BH FAUCET	1	
TOILET	AMERICAN STANDARD	2467.016	WHITE	CHICAGO FAUCET 1016	2	
WALL MOUNTED SINK	AMERICAN STANDARD	LUCERNE 0355.012	WHITE	CHICAGO FAUCET 802-A317CP	2	


BATHROOM ACCESSORY SCHEDULE					
TYPE	MANUFACTURER	MODEL	FINISH	QUANTITY	COMMENTS
MIRROR	BOBRICK	B-165 1830	-	2	
AUTOMATIC HAND DRYER	GLOBAL INDUSTRIAL	T9F641951	STAINLESS STEEL	2	
WASTE RECEPTACLE	BOBRICK	B-43644	STAINLESS STEEL	2	
TOILET PAPER DISPENSER	BOBRICK	B-2888	STAINLESS STEEL	2	
SOAP DISPENSER	-	-	-	2	BY OWNER
GRAB BARS (SET OF THREE)	-	-	STAINLESS STEEL	2	36" (SIDE), 42" (BACK), 18" (VERTICAL)




8 RR 115 - E
1/2" = 1'-0"





6 RR 115 - S
1/2" = 1'-0"




5 RR 115 - W
1/2" = 1'-0"




7 RR 115 - N
1/2" = 1'-0"




- TOILET ROOM NOTES:**
- A TURNING SPACE PER SECTION 304 IS REQUIRED WITHIN A TOILET ROOM (603.2.1)
 - ONLY THE FOLLOWING OBJECTS ARE PERMITTED TO OVERLAP THE REQUIRED CLEARANCE: GRAB BARS, DISPENSERS, SANITARY NAPKIN DISPOSAL UNIT, COAT HOOKS AND SHELVES (604.3.2)
 - FLUSH CONTROLS SHALL BE LOCATED ON THE OPEN SIDE OF THE WATER CLOSET (604.6)
 - URINALS SHALL HAVE A CLEAR FLOOR SPACE COMPLYING WITH 305 POSITIONED FOR FORWARD APPROACH AND CENTERED ON UNIT (605.3)
 - LAVATORIES SHALL HAVE A CLEAR FLOOR SPACE COMPLYING WITH 305 POSITIONED FOR FORWARD APPROACH AND CENTERED ON UNIT (606.2)
 - KNEE & TOE CLEARANCE COMPLYING WITH 306 SHALL BE PROVIDED (602.2)
 - EXPOSED WATER SUPPLY AND DRAIN PIPES SHALL BE INSULATED. THERE SHALL BE NO SHARP OR ABRASIVE SURFACES UNDER LAVATORIES (606.5)
 - INSTALL GRAB BARS TO WITHSTAND NOT LESS THAN A 250 POUND FORCE APPLIED AT ANY POINT ON THE BAR (609.8)




9 KITCHENETTE ELEVATION
1/2" = 1'-0"



4 KITCHENETTE PLAN
1/2" = 1'-0"



10 RR-114
1/2" = 1'-0"



3 TOILET RMS
1/2" = 1'-0"