



DAMIAN
FARRELL
DESIGN
GROUP

359 METTY DRIVE, SUITE 4A
ANN ARBOR, MI 48103
tel: 734.998.1331

PRELIMINARY NOT FOR CONSTRUCTION

C3 - BRANSON MO
3125 GREEN MOUNTAIN DRIVE
BRANSON, MO 65616


DATE

DESCRIPTION

DESIGN Designer
DRAWN Author
PROJECT NO. 23_05_19

SECURITY PLAN

SEC.1



1 FIRST FLOOR PLAN Copy 1
3/16" = 1'-0"

2 MEZZANINE PLAN Copy 1
3/16" = 1'-0"


WALL TYPES LEGEND	
TAG / VISUAL	DESCRIPTION
A	5/8" GYPSUM BOARD ON EACH SIDE OF 3 5/8" METAL STUD @ 16" O.C. TYP. WALL TO GO UP TO DECK OR EXIST. CEILING. U.N.O.
B	5/8" GYPSUM BOARD ON EACH SIDE OF 6" METAL STUD @ 16" O.C. TYP. WALL TO GO UP TO CEILING.
C	1-HR FIRE RATED WALL ASSEMBLY, U419: 5/8" SHEETROCK ULTRAUGHT FIRECODE X PANELS (ULIX) ON EACH SIDE OF 3 5/8" 25 GA. METAL STUD @ 24" O.C. TYP. SECURE SIDE TO HAVE BMS0 13 GA. SECURITY MESH UNDER GYPSUM PANELS MINERAL WOOL INSULATION OPTIONAL WALL TO GO UP TO DECK U.N.O.
D	1-HR FIRE RATED WALL: (2) LAYERS OF 5/8" SHEETROCK ULTRAUGHT FIRECODE X PANELS (ULIX) ON ONE SIDE OF 3 5/8" 25 GA. METAL STUD @ 24" O.C. TYP. SECURE SIDE TO HAVE BMS0 13 GA. SECURITY MESH UNDER GYPSUM PANELS MINERAL WOOL INSULATION OPTIONAL WALL TO GO UP TO DECK
E	5/8" GYPSUM BOARD ON ONE SIDE OF 3 5/8" METAL STUD @ 16" O.C. TYP. WALL TO GO UP TO DECK OR EXIST. CEILING. U.N.O.
- - - - -	WALL TO GO TO 16' - 6" A.F.F. CUSTOM WALLPAPER WP-1
- - - - -	SF MATTE 12 MIL I - SAFETY & SECURITY INTERIOR FILM
- - - - -	1-HR FIRE RATED WALLS WITH SECURITY MESH. SEE WALL TYPES ABOVE FOR DETAILS.

FASTENER NOTE FOR ULIX PANELS:
FASTENERS TO BE 1 INCH TYPE S OR S-12 STEEL SCREWS, SPACED 12 IN. OC IN THE FIELD AND PERIMETER, WHEN PANELS ARE APPLIED HORIZONTALLY OR VERTICALLY.

GENERAL NOTES

- REFER TO MECHANICAL, PLUMBING, AND ELECTRICAL DRAWINGS FOR SPECIFIC INFORMATION.
- ALL DIMENSIONS ARE TO FACE OF STUD UNLESS OTHERWISE NOTED.
- DASHED LINES INDICATE REQUIRED ADA CLEARANCES.
- VERIFY ALL DIMENSIONS WITH EXISTING CONDITIONS.

LEGEND



C:\Users\Wgonzalez\Documents\231206_Branson MO C3 Central_kgonzalez@dfdg.rvt